October 2019




PVC Panelling and *Klicker Floor*

Kristen
BATHROOM **SOLUTIONS**

10mm PVC Panels

2400mm x 1000mm



Arctic White Sparkle
KWET10AWS

Black Diamond Stone
KWET10BDS



White Diamond Stone
KWET10WDS

Pergamon Marble
KWET10PM

Pearl White
KWET10PW

Light Grey Marble
KWET10LGM

Grey Marble
KWET10GM

Metallic Silver Matt
KWET10MSM

Concrete Beige Matt
KWET10CBM

Concrete Dark Grey Matt
KWET10CDGM

White Marble Gloss
KWET10WMG

Carrara Marble Gloss
KWET10CMG

White Gloss
KWET10WG

White Wood
KWET10WW

10mm Trims & Accessories

TRIM OPTIONS	CODE
10mm PVC End U Bright Silver 2.4m	KWET10ENDS
10mm PVC External Corner Bright Silver 2.4m	KWET10EXTCS
10mm PVC H-Joint Bright Silver 2.4m	KWET10HJS
10mm PVC Internal Corner Bright Silver 2.4m	KWET10INTCS
10mm PVC Base Seal Silver 2.4m	KWET10BSS
10mm Retro Fit Sill Silver 2.4m	KWET10RFSS
10mm Aluminium End U Bright Silver 2.4m	KWET10TALENDS
10mm Aluminium External Corner Bright Silver 2.4m	KWET10TALEXTCS
10mm Aluminium H-Joint Bright Silver 2.4m	KWET10TALHJS
10mm Aluminium Internal Corner Bright Silver 2.4m	KWET10TALINTCS
10mm PVC End U White 2.4m	KWET10ENDW
10mm PVC External Corner White Gloss 2.4m	KWET10EXTCW
10mm PVC H-Joint White 2.4m	KWET10HJW
10mm PVC Internal Corner White 2.4m	KWET10INTCW
10mm PVC Base Seal White 2.4m	KWET10BSW
10mm Aluminium End U White 2.4m	KWET10TALENDW
10mm Aluminium External Corner White 2.4m	KWET10TALEXTW
10mm Aluminium H-Joint White 2.4m	KWET10TALHJW
10mm Aluminium Internal Corner White 2.4m	KWET10TALINTW
10mm Aluminium End U Anthracite 2.4m	KWET10TALENDA
10mm Aluminium External Corner Anthracite 2.4m	KWET10TALEXTCA
10mm Aluminium H-Joint Anthracite 2.4m	KWET10TALHJA
10mm Aluminium Internal Corner Anthracite 2.4m	KWET10TALINTCA

7mm PVC Panels

2400mm x 600mm (Pack of 2)

Graphite Blue Onyx Matt
KWET7GBOM

Graphite Mosaic Matt
KWET7GEMM

Grey Mosaic Matt
KWET7GRMM



Dark Grey Stone Tile*
KWET7DGST

Grey Stone Tile*
KWET7GST

Light Grey Stone Tile*
KWET7LGST

Slate Light Grey Matt
KWET7SLGM

White Matt
KWET7WM

Metallic Silver Matt
KWET7MSM

*7mm Tile effect PVC panels are 2640mm x 600mm (Pack of 2)

7mm Trims & Accessories

TRIM OPTIONS	CODE
7mm Aluminium End U Bright Silver 2.4m	KWET7TALENDS
7mm Aluminium External Corner Bright Silver 2.4m	KWET7TALEXTCS
7mm Aluminium H-Joint Bright Silver 2.4m	KWET7TALHJS
7mm Aluminium Internal Corner Bright Silver 2.4m	KWET7TALINTCS
7mm Aluminium End U White 2.4m	KWET7TALENDW
7mm Aluminium External Corner White 2.4m	KWET7TALEXTCW
7mm Aluminium H-Joint White 2.4m	KWET7TALHJW
7mm Aluminium Internal Corner White 2.4m	KWET7TALINTCW
7mm Aluminium End U Anthracite 2.4m	KWET7TALENDA
7mm Aluminium External Corner Anthracite 2.4m	KWET7TALEXTCA
7mm Aluminium H-Joint Anthracite 2.4m	KWET7TALHJA
7mm Aluminium Internal Corner Anthracite 2.4m	KWET7TALINTCA

6mm PVC Ceiling Panels

2700mm x 200mm (Pack of 5)

Arctic Sparkle / Silver 2 Strip
KWET6ASS

White / Silver 2 Strip
KWET6WSV

White / White 2 Strip
KWET6WSV

White Gloss (5mm)
KWET5WG

Accessories

TRIM OPTIONS	CODE
5mm PVC Scotia Moulding Silver 2.4m	KWET5SCS
5mm PVC Scotia Moulding White 2.4m	KWET5SCW

5mm PVC Panels

2700mm x 250mm (Pack of 4)



Arctic White Sparkle
KWET5AWS

Black Diamond Stone
KWET5BDS

White Ash Matt
KWET5WAM



White Diamond Stone
KWET5WDS

White Wood Gloss
KWET5WWG

White Gloss
KWET5WG

Grey Marble
KWET5GM

Light Grey Marble
KWET5LGM

Pergamon Marble
KWET5PM

5mm Trims & Accessories

TRIM OPTIONS	CODE
5mm PVC End U Bright Silver 2.4m	KWET5ENDS
5mm PVC External Corner Bright Silver 2.4m	KWET5EXTCS
5mm PVC H-Joint Bright Silver 2.4m	KWET5HJS
5mm PVC Internal Corner Bright Silver 2.4m	KWET5INTCS
5mm PVC Scotia Moulding Silver 2.4m	KWET5SCS
5mm PVC End U White 2.4m	KWET5ENDW
5mm PVC External Corner White 2.4m	KWET5EXTCW
5mm PVC H-Joint White 2.4m	KWET5HJW
5mm PVC Internal Corner White 2.4m	KWET5INTCW
5mm PVC Scotia Moulding White 2.4m	KWET5SCW

Kristen
BATHROOM SOLUTIONS

Klicker Flooring

Sand Stone

305mm x 610mm
SPC Tile Flooring
(1.86m² per pack)

KWETF22SS



Carrara White Marble

305mm x 610mm
SPC Tile Flooring
(1.86m² per pack)

KWETF22CW

Grey Marble

305mm x 610mm
SPC Tile Flooring
(1.86m² per pack)

KWETF22GM

Oiled Slate

305mm x 610mm
SPC Tile Flooring
(1.86m² per pack)

KWETF22OS

Grey Oak

180mm x 1220mm
SPC Plank Flooring
(2.2m² per pack)

KWETF22GO

Black Oak

180mm x 1220mm
SPC Plank Flooring
(2.2m² per pack)

KWETF22BO

White Oak

180mm x 1220mm
SPC Plank Flooring
(2.2m² per pack)

KWETF22FWO

Klicker Flooring Features

- 100% Virgin vinyl
- 20 Years domestic guarantee
- 5 Years light commercial guarantee
- Very stable - High temperature resistant
- 100% Waterproof
- Micro-bevelled edges
- Resistant to UV light
- PU Protected
- Suitable for walls

Klicker Flooring Benefits

- 4 Way click system
- Up to 300sqm can be fitted without transition joins
- No acclimatisation required
- >R10 Slip resistance
- Pre-applied IXPE high density underlay

Trim Installation Guide

The light weight, wipe clean panels are quick and easy to install, the patented tongue and groove system means no grout or specialist trades are required, the panels are 100% waterproof and offer excellent insulation and soundproofing.

When fixing decorative PVC panels to wooden batons, the panels can be fixed through the extending backplate fixing tongue using staples with a staple gun, by hammer with panel pins/ nails, with screws, or with panel adhesive. When fixing to the ceiling, adhesive should not be used, unless as an additional fixing combined with staples, panel pins/nails, or screws.

- To make a wooden frame, strap the wall with wooden battens placed approximately every 30-40cm according to the direction of assembly. If panels are assembled vertically, strap in the opposite direction horizontally, and vice-versa. If panels are assembled diagonally, the batons can be installed vertically, horizontally, or at right angles to the panels.
- Start with the preferred end moulding - end cap U, internal, external, or scotia. Insert the tongue side of the panel into the moulding.
- Glue the panel, or panel-pin (nail), staple or screw the first panel through the backplate fixing tongue opposite the starting side.
- Insert the tongue of the next panel into the groove and continue the installation of the panels in the same manner.
- Use appropriate PVC mouldings to finish all corners and ends.
- DECORATIVE CLIP-IN SILVER MOULDINGS: If a decorative clip-in silver moulding is to be used, clip this into the groove before inserting the second and subsequent panels, then glue the panel, or panel-pin (nail), staple or screw through the panel backplate fixing tongue.
- DECORATIVE H JOINT MOULDINGS: If a decorative H joint moulding is used, insert the H Joint before fixing the back plate of the first panel and before inserting the second and subsequent panels, then glue the first panel and H Joint, or panel-pin (nail), staple or screw through the H Joint back plate fixing tongue to fix both the H Joint and first panel. Before inserting an H Joint, the panel tongues should first be trimmed off both sides of the panels.
- SEALING: Seal the panels with decorative PVC panel silicone sealant between panel joints and mouldings/ pro files and all ends if the panels are to be installed in a wet area such as in a shower or around a bath.
- CUTTING: When cutting with a precision handsaw, cut with the decorative face of the panel upwards. When using an electric saw cut the panel with the decorative face of the panel downwards.

H-Joint Strips
It may be necessary to trim off the panel tongues before fitting H-joint decor strips.

Extras

TRIM OPTIONS	CODE
Kristen PVC Panel Adhesive 285ml	KWETADV
Kristen PVC Panel Sealant White 285ml	KWETSLW
Kristen PVC Panel Sealant Clear 285ml	KWETSLCL
Kristen PVC Panel Cleaner 500ml	KWETCLEAN

Simple Installation

All wall panel joints are sealed with silicone to create your completely waterproof bathroom, wet room, kitchen or shower area. Our bathroom wall panel ranges can be applied to timber battens or directly bonded to interior surfaces, for quick and easy installation.



Corner Kit
- 2x Base Seal
- 1x Internal Corner
- 2x End Caps
- 4x Tubes of Adhesive
- 2x Tubes of Sealant



Large Corner Kit Tongue & Groove
- 2x Base Seal
- 1x Internal Corner
- 2x End Caps
- 6x Tubes of Adhesive
- 3x Tubes of Sealant



Recess
- 2x Base Seal
- 2x Internal Corners
- 2x End Caps
- 6x Tubes of Adhesive
- 3x Tubes of Sealant



Large Recess
- 2x Base Seal
- 2x Internal Corners
- 2x End Caps
- 8x Tubes of Adhesive
- 4x Tubes of Sealant



END U



EXTERNAL CORNER

H JOINT

L SHAPE



SCOTIA

BASE SEAL



INTERNAL CORNER

Flooring Installation Guide

Klicker Floor® SPC core luxury vinyl-click flooring is a luxurious resilient floor based on a very unique formulation which combines the advantage of different materials including natural stone.
It is installed as a "floating" floor. Before Installation, please pay attention to important points below:

- Carefully examine the flooring prior to installation for grade, colour, finish and quality. Ensure adequate lighting for proper inspection. If flooring is not acceptable, contact your supplier immediately and arrange for replacement.
- Ensure the sub-floor is dry, and structurally sound. The sub-floor must be clean (thoroughly swept and free of all debris), and the level should be flat to 0.5cm per 30sqm (large area).
- Shuffle the boards for best visual mix of lengths and colour. Check for gapping between pieces and possible cupping, and check the surface.
- Flooring should be one of the last items installed in any new construction or remodel project. All work involving water or moisture should be completed before flooring installation. Installing flooring onto a wet sub-floor could cause cupping, tip & edge raising, telegraphing of core and subsequent gapping.
- Do not install floors where it will be exposed to temperatures greater than 60° C.
- Do not screw, glue, or fix the floor by any means to the sub-floor.
- Do not exceed 400m2 without transition/expansion profiles and always ensure expansion gaps to all perimeter walls and fixed objects are a minimum 6mm.
- Although this flooring is waterproof, it is not aimed to be used as a moisture barrier. The subfloor must be dry (max. 2.5% moisture content - CM method). This product is also not to be installed in areas that have a risk of floating such as saunas or outdoor areas.

CAUTION: Do not install Klicker Floor® SPC core luxury vinyl-click flooring over carpet or underlay. This product is not suitable for outdoor use, or rooms that may be exposed to flooding. We also highly recommend you do not install Klicker Floor® SPC core flooring in rooms, or homes in which the temperature is not controlled. Exposure to long term direct sunlight and temperatures in excess of 35° C (95° F) can cause expansion damage to your floor. We strive to maintain strict quality control during the manufacturing process but we recommend checking all planks prior to installation.

Cleaning and Maintenance

Kristen supply a specially manufactured panel cleaner - Do not use any household abrasive cleaners on the panelling ie. Flash, Cif or bleach. Day to day washing up liquid can be used with a damp cloth.

No grout. No hassle.
Just beautiful walls.

It is now easier than ever to create vibrant bathrooms, wet rooms and kitchens with quick and easy installation that brightens up your home.

PVC Panels are an affordable alternative to tiles and are completely grout-free, making them the simplest way to keep wet environments hygienic and clean. With a huge choice of colours, textures and finishes to choose from, our modern bathroom wall panels are designed to suit any room's décor and shape.

The light weight PVC wipe clean panels are quick and easy to install, the patented tongue and groove system means no grout or specialist trades are required, The panels are 100% waterproof and offer excellent insulation and soundproofing.

Our Klicker Floor vinyl floor tiles recreate the subtle textures of natural wood and stone, bringing a warmth and quality to any room in your home. When the product is fitted into place it will provide the same aesthetics as a 'glued down luxury floor', without all the preparation work and the fitting hassles you would associate with glued down flooring.

Our PVC panelling and Klicker Floor collection can be used in both wet and dry areas within domestic and commercial properties.

Kristen
BATHROOM **SOLUTIONS**

Kristen Bathrooms
Moira Industrial Estate
34 Old Kilmore Road
Moira BT67 0LZ

Telephone 028 9261 7254
sales@kristenbathrooms.com

www.kristenbathrooms.com

These products have a natural variation in colour and if ordered in different batches you may not get the exact same shade variations from your previous batch. All images and samples shown in this brochure are a representation of the actual finish from a small portion of the panel. Colour, pattern and scale may vary on the finished product supplied. The printed samples may not represent the overall effect once the wall, or floor is installed.